



**STATE OF TENNESSEE  
DEPARTMENT OF HEALTH  
ENVIRONMENTAL LABORATORIES**

TDH: Lab Services JRL  
Lab Services - Jackson Regional Lab  
Jackson, TN 38301  
731-426-0686

TDH: Lab Services KRL  
Lab Services - Knoxville Regional Lab  
Knoxville, TN 37920  
865-549-5201

TDH: Lab Services NCL  
Lab Services - Nashville Central Lab  
Nashville, TN 37243  
615-262-6300

**Sent To:** Greg Denton  
TDEC-WPC  
6th Floor, L & C Tower Annex  
401 Church Street  
Nashville, TN 37243-1534


Michael Atchley  
TDEC-WPC  
Knoxville FO  
3711 Middlebrook Pike  
Knoxville, TN 37921

**Lab ID:** K00002739  
Knoxville Regional Laboratory

**Sampling Agency:** TDEC: Division of Water Pollution Control

**Billing Code:** 327.34-20

This is to certify that the following results were determined using  
good laboratory practices and in accordance with federal or state  
approved methodologies.

  
Analytical Supervisor

**Lab-Sample Number:** K00002739001  
**Project Name:** TVA-Ash Spill  
**Sample Description:** Emory River mile 12.1  
**Sampler Project Name:** TVA Ash Spill  
**Project Site No.:** 1  
**Station No.:** EMORY012.1RO  
**Date/Time Collected:** 08/13/2009 12:21  
**Sampler's Name:** Geoff Klein  
**County:** ROANE - 73  
**Sample Matrix:** Water  
**EFO:** Knoxville  
**Sampling Agency:** TDEC-WPC  
**Billing Code:** 327.34-20  
**Send Report To:** TDEC-WPC  
**Agency Invoiced:** TDEC-WPC  
**Priority Date:**  
**Date/Time Received:** 08/13/2009 13:10  
**Received By:** Ken Hitchman

**Field Determinations**  
**pH:** 7.74 pH Units  
**Chlorine, residual:**  
**Conductivity:** 91 uMHO  
**Temperature:** 26.65  
**Dissolved Oxygen:** 7.55 mg/L  
**Other:**  
**Flow:** CFS

TEST: Alkalinity, Total		METHOD: EPA 310.2				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Total Alkalinity	25	mg/L	3.8	10	M Chen	8/18/2009

TEST: Hardness, Calcium		METHOD: SM 3500-Ca D				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Calcium hardness	19	mg/L	0.7	1	M Chen	8/18/2009

TEST: Residue, Settleable		METHOD: SM 2540F				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Settleable Residue	U	ml/L	0.10	0.10	P Leathers	8/14/2009

TEST: Residue, Suspended		METHOD: SM 2540D				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Total Suspended Solids	U	mg/L	10	10	A Peebles	8/14/2009

**J - Estimated value between MDL and MQL**  
**MDL - Method Detection Limit**  
**MQL - Method Quantitation Limit**  
**U - Undetected**

**Lab-Sample Number:** K00002739002  
**Project Name:** TVA-Ash Spill  
**Sample Description:** Emory River mile 2.1  
**Sampler Project Name:** TVA Ash Spill  
**Project Site No.:** 2  
**Station No.:** EMORY002.1RO  
**Date/Time Collected:** 08/13/2009 10:00  
**Sampler's Name:** Geoff Klein  
**County:** ROANE - 73  
**Sample Matrix:** Water  
**EFO:** Knoxville  
**Sampling Agency:** TDEC-WPC  
**Billing Code:** 327.34-20  
**Send Report To:** TDEC-WPC  
**Agency Invoiced:** TDEC-WPC  
**Priority Date:**  
**Date/Time Received:** 08/13/2009 13:10  
**Received By:** Ken Hitchman

**Field Determinations**  
**pH:** 7.69 pH Units  
**Chlorine, residual:**  
**Conductivity:** 106 uMHO  
**Temperature:** 27.42  
**Dissolved Oxygen:** 7.53 mg/L  
**Other:**  
**Flow:** CFS

TEST: Alkalinity, Total		METHOD: EPA 310.2				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Total Alkalinity	29	mg/L	3.8	10	M Chen	8/18/2009

TEST: Hardness, Calcium		METHOD: SM 3500-Ca D				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Calcium hardness	27	mg/L	0.7	1	M Chen	8/18/2009

TEST: Residue, Settleable		METHOD: SM 2540F				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Settleable Residue	U	ml/L	0.10	0.10	P Leathers	8/14/2009

TEST: Residue, Suspended		METHOD: SM 2540D				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Total Suspended Solids	24	mg/L	10	10	A Peoples	8/14/2009

**J - Estimated value between MDL and MQL**  
**MDL - Method Detection Limit**  
**MQL - Method Quantitation Limit**  
**U - Undetected**

**Lab-Sample Number:** K00002739003  
**Project Name:** TVA-Ash Spill  
**Sample Description:** Approx. 100' d/s from middle dredge point  
**Sampler Project Name:** TVA Ash Spill  
**Project Site No.:** 2A  
**Station No.:** Dredge Plume  
**Date/Time Collected:** 08/13/2009 10:15  
**Sampler's Name:** Geoff Klein  
**County:** ROANE - 73  
**Sample Matrix:** Water  
**EFO:** Knoxville  
**Sampling Agency:** TDEC-WPC  
**Billing Code:** 327.34-20  
**Send Report To:** TDEC-WPC  
**Agency Invoiced:** TDEC-WPC  
**Priority Date:**  
**Date/Time Received:** 08/13/2009 13:10  
**Received By:** Ken Hitchman

# Field Determinations

**pH:** 7.52 pH Units  
**Chlorine, residual:**  
**Conductivity:** 204 uMHO  
**Temperature:** 24.17  
**Dissolved Oxygen:** 7.27 mg/L  
**Other:**  
**Flow:** CFS

TEST: Alkalinity, Total		METHOD: EPA 310.2				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Total Alkalinity	100	mg/L	3.8	10	M Chen	8/18/2009

TEST: Hardness, Calcium		METHOD: SM 3500-Ca D				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Calcium hardness	81	mg/L	0.7	1	M Chen	8/18/2009

TEST: Residue, Settleable		METHOD: SM 2540F				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Settleable Residue	U	ml/L	0.10	0.10	P Leathers	8/14/2009

TEST: Residue, Suspended		METHOD: SM 2540D				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Total Suspended Solids	15	mg/L	10	10	A Peebles	8/14/2009

**J - Estimated value between MDL and MQL**  
**MDL - Method Detection Limit**  
**MQL - Method Quantitation Limit**  
**U - Undetected**

**Lab-Sample Number:** K00002739004  
**Project Name:** TVA-Ash Spill  
**Sample Description:** Emory River mile 1.9 at underwater weir  
**Sampler Project Name:** TVA Ash Spill  
**Project Site No.:** 2B  
**Station No.:** EMORY001.9RO  
**Date/Time Collected:** 08/13/2009 10:31  
**Sampler's Name:** Geoff Klein  
**County:** ROANE - 73  
**Sample Matrix:** Water  
**EFO:** Knoxville  
**Sampling Agency:** TDEC-WPC  
**Billing Code:** 327.34-20  
**Send Report To:** TDEC-WPC  
**Agency Invoiced:** TDEC-WPC  
**Priority Date:**  
**Date/Time Received:** 08/13/2009 13:10  
**Received By:** Ken Hitchman

**Field Determinations**  
**pH:** 7.73 pH Units  
**Chlorine, residual:**  
**Conductivity:** 157 uMHO  
**Temperature:** 25.70  
**Dissolved Oxygen:** 8.12 mg/L  
**Other:**  
**Flow:** CFS

TEST: Alkalinity, Total		METHOD: EPA 310.2				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Total Alkalinity	91	mg/L	3.8	10	M Chen	8/18/2009

TEST: Hardness, Calcium		METHOD: SM 3500-Ca D				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Calcium hardness	71	mg/L	0.7	1	M Chen	8/18/2009

TEST: Residue, Settleable		METHOD: SM 2540F				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Settleable Residue	U	ml/L	0.10	0.10	P Leathers	8/14/2009

TEST: Residue, Suspended		METHOD: SM 2540D				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Total Suspended Solids	10	mg/L	10	10	A Peebles	8/14/2009

**J - Estimated value between MDL and MQL**  
**MDL - Method Detection Limit**  
**MQL - Method Quantitation Limit**  
**U - Undetected**

**Lab-Sample Number:** K00002739005  
**Project Name:** TVA-Ash Spill  
**Sample Description:** Emory River mile 1.7  
**Sampler Project Name:** TVA Ash Spill  
**Project Site No.:** 3  
**Station No.:** EMORY001.7RO  
**Date/Time Collected:** 08/13/2009 10:42  
**Sampler's Name:** Geoff Klein  
**County:** ROANE - 73  
**Sample Matrix:** Water  
**EFO:** Knoxville  
**Sampling Agency:** TDEC-WPC  
**Billing Code:** 327.34-20  
**Send Report To:** TDEC-WPC  
**Agency Invoiced:** TDEC-WPC  
**Priority Date:**  
**Date/Time Received:** 08/13/2009 13:10  
**Received By:** Ken Hitchman

**Field Determinations**  
**pH:** 7.63 pH Units  
**Chlorine, residual:**  
**Conductivity:** 256 uMHO  
**Temperature:** 22.48  
**Dissolved Oxygen:** 7.49 mg/L  
**Other:**  
**Flow:** CFS

TEST: Alkalinity, Total		METHOD: EPA 310.2				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Total Alkalinity	110	mg/L	3.8	10	M Chen	8/18/2009

TEST: Hardness, Calcium		METHOD: SM 3500-Ca D				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Calcium hardness	87	mg/L	0.7	1	M Chen	8/18/2009

TEST: Residue, Settleable		METHOD: SM 2540F				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Settleable Residue	U	ml/L	0.10	0.10	P Leathers	8/14/2009

TEST: Residue, Suspended		METHOD: SM 2540D				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Total Suspended Solids	10	mg/L	10	10	A Peebles	8/14/2009

**J - Estimated value between MDL and MQL**  
**MDL - Method Detection Limit**  
**MQL - Method Quantitation Limit**  
**U - Undetected**

**Lab-Sample Number:** K00002739006  
**Project Name:** TVA-Ash Spill  
**Sample Description:** Emory River mile 0.1  
**Sampler Project Name:** TVA Ash Spill  
**Project Site No.:** 4  
**Station No.:** EMORY000.1RO  
**Date/Time Collected:** 08/13/2009 10:57  
**Sampler's Name:** Geoff Klein  
**County:** ROANE - 73  
**Sample Matrix:** Water  
**EFO:** Knoxville  
**Sampling Agency:** TDEC-WPC  
**Billing Code:** 327.34-20  
**Send Report To:** TDEC-WPC  
**Agency Invoiced:** TDEC-WPC  
**Priority Date:**  
**Date/Time Received:** 08/13/2009 13:10  
**Received By:** Ken Hitchman

**Field Determinations**  
**pH:** 7.77 pH Units  
**Chlorine, residual:**  
**Conductivity:** 249 uMHO  
**Temperature:** 23.08  
**Dissolved Oxygen:** 8.20 mg/L  
**Other:**  
**Flow:** CFS

TEST: Alkalinity, Total		METHOD: EPA 310.2				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Total Alkalinity	110	mg/L	3.8	10	M Chen	8/18/2009

TEST: Hardness, Calcium		METHOD: SM 3500-Ca D				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Calcium hardness	85	mg/L	0.7	1	M Chen	8/18/2009

TEST: Residue, Settleable		METHOD: SM 2540F				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Settleable Residue	U	ml/L	0.10	0.10	P Leathers	8/14/2009

TEST: Residue, Suspended		METHOD: SM 2540D				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Total Suspended Solids	14	mg/L	10	10	A Peeples	8/14/2009

J - Estimated value between MDL and MQL  
 MDL - Method Detection Limit  
 MQL - Method Quantitation Limit  
 U - Undetected

**Lab-Sample Number:** K00002739007  
**Project Name:** TVA-Ash Spill  
**Sample Description:** Clinch River mile 2.3  
**Sampler Project Name:** TVA Ash Spill  
**Project Site No.:** 5  
**Station No.:** CLINC002.3RO  
**Date/Time Collected:** 08/13/2009 11:12  
**Sampler's Name:** Geoff Klein  
**County:** ROANE - 73  
**Sample Matrix:** Water  
**EFO:** Knoxville  
**Sampling Agency:** TDEC-WPC  
**Billing Code:** 327.34-20  
**Send Report To:** TDEC-WPC  
**Agency Invoiced:** TDEC-WPC  
**Priority Date:**  
**Date/Time Received:** 08/13/2009 13:10  
**Received By:** Ken Hitchman

**Field Determinations**  
**pH:** 7.78 pH Units  
**Chlorine, residual:**  
**Conductivity:** 265 uMHO  
**Temperature:** 24.62  
**Dissolved Oxygen:** 8.04 mg/L  
**Other:**  
**Flow:** CFS

TEST: Alkalinity, Total		METHOD: EPA 310.2				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Total Alkalinity	100	mg/L	3.8	10	M Chen	8/18/2009

TEST: Hardness, Calcium		METHOD: SM 3500-Ca D				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Calcium hardness	78	mg/L	0.7	1	M Chen	8/18/2009

TEST: Residue, Settleable		METHOD: SM 2540F				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Settleable Residue	U	ml/L	0.10	0.10	P Leathers	8/14/2009

TEST: Residue, Suspended		METHOD: SM 2540D				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Total Suspended Solids	U	mg/L	10	10	A Peebles	8/14/2009

**J - Estimated value between MDL and MQL**  
**MDL - Method Detection Limit**  
**MQL - Method Quantitation Limit**  
**U - Undetected**



**Lab-Sample Number:** K00002739008  
**Project Name:** TVA-Ash Spill  
**Sample Description:** Clinch River TVA Discharge Point  
**Sampler Project Name:** TVA Ash Spill  
**Project Site No.:** 5A  
**Station No.:** KingAshOutF2  
**Date/Time Collected:** 08/13/2009 11:35  
**Sampler's Name:** Geoff Klein  
**County:** ROANE - 73  
**Sample Matrix:** Water  
**EFO:** Knoxville  
**Sampling Agency:** TDEC-WPC  
**Billing Code:** 327.34-20  
**Send Report To:** TDEC-WPC  
**Agency Invoiced:** TDEC-WPC  
**Priority Date:**  
**Date/Time Received:** 08/13/2009 13:10  
**Received By:** Ken Hitchman

**Field Determinations**  
**pH:** 7.66 pH Units  
**Chlorine, residual:**  
**Conductivity:** 279 uMHO  
**Temperature:** 27.29  
**Dissolved Oxygen:** 7.13 mg/L  
**Other:**  
**Flow:** CFS

TEST: Alkalinity, Total		METHOD: EPA 310.2				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Total Alkalinity	96	mg/L	3.8	10	M Chen	8/18/2009

TEST: Hardness, Calcium		METHOD: SM 3500-Ca D				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Calcium hardness	80	mg/L	0.7	1	M Chen	8/18/2009

TEST: Residue, Settleable		METHOD: SM 2540F				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Settleable Residue	U	ml/L	0.10	0.10	P Leathers	8/14/2009

TEST: Residue, Suspended		METHOD: SM 2540D				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Total Suspended Solids	15	mg/L	10	10	A Peebles	8/14/2009

J - Estimated value between MDL and MQL

MDL - Method Detection Limit

MQL - Method Quantitation Limit

U - Undetected

<b>Lab-Sample Number:</b>	K00002739009	<b>Field Determinations</b>	
<b>Project Name:</b>	TVA-Ash Spill	<b>pH:</b>	7.64      pH Units
<b>Sample Description:</b>	Clinch River mile 4.5 near Sugar Grove Valley R	<b>Chlorine, residual:</b>	
<b>Sampler Project Name:</b>	TVA Ash Spill	<b>Conductivity:</b>	276      uMHO
<b>Project Site No.:</b>	6	<b>Temperature:</b>	20.43
<b>Station No.:</b>	CLINC004.5RO	<b>Dissolved Oxygen:</b>	7.80      mg/L
<b>Date/Time Collected:</b>	08/13/2009    11:50	<b>Other:</b>	
<b>Sampler's Name:</b>	Geoff Klein	<b>Flow:</b>	CFS
<b>County:</b>	ROANE - 73		
<b>Sample Matrix:</b>	Water		
<b>EFO:</b>	Knoxville		
<b>Sampling Agency:</b>	TDEC-WPC		
<b>Billing Code:</b>	327.34-20		
<b>Send Report To:</b>	TDEC-WPC		
<b>Agency Invoiced:</b>	TDEC-WPC		
<b>Priority Date:</b>			
<b>Date/Time Received:</b>	08/13/2009    13:10		
<b>Received By:</b>	Ken Hitchman		

TEST: Alkalinity, Total		METHOD: EPA 310.2				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Total Alkalinity	110	mg/L	3.8	10	M Chen	8/18/2009

TEST: Hardness, Calcium		METHOD: SM 3500-Ca D				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Calcium hardness	78	mg/L	0.7	1	M Chen	8/18/2009

TEST: Residue, Settleable		METHOD: SM 2540F				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Settleable Residue	U	ml/L	0.10	0.10	P Leathers	8/14/2009

TEST: Residue, Suspended		METHOD: SM 2540D				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Total Suspended Solids	10	mg/L	10	10	A Peebles	8/14/2009

**J - Estimated value between MDL and MQL**  
**MDL - Method Detection Limit**  
**MQL - Method Quantitation Limit**  
**U - Undetected**